

.

---

**From:** Taugher, Helen (DPH) <Helen.Taugher@state.ma.us>  
**Sent:** Wednesday, August 18, 2010 8:19 AM  
**To:** 'Byrne, Eric (DPH)'; Hanchett, James (DPH)  
**Cc:** Popstefanija, Marija (DPH)  
**Subject:** RE: Dell Printer ?

not sure.... Jim?

Helen Crean Taugher DNP MPH RN  
Regional Immunization Nurse - Western Region  
Massachusetts Department of Public Health  
Bureau of Infectious Disease Prevention, Response and Services  
413-545-6604

---

**From:** Byrne, Eric (DPH) [<mailto:Eric.Byrne@state.ma.us>]  
**Sent:** Wednesday, August 18, 2010 8:18 AM  
**To:** 'Taugher, Helen (DPH)'; 'Byrne, Eric (DPH)'; Hanchett, James (DPH)  
**Cc:** Popstefanija, Marija (DPH)  
**Subject:** RE: Dell Printer ?

I asked that and all they could tell me is it was from Dell. Does Jim have a Dell printer?

---

**From:** Taugher, Helen (DPH) [<mailto:Helen.Taugher@state.ma.us>]  
**Sent:** Wednesday, August 18, 2010 8:17 AM  
**To:** 'Byrne, Eric (DPH)'; Hanchett, James (DPH)  
**Cc:** Popstefanija, Marija (DPH)  
**Subject:** RE: Dell Printer ?

Hi, I just talked to Jim, he thinks it might be his printer cartridges, is there any way for us to tell who it is from exactly?

Helen Crean Taugher DNP MPH RN  
Regional Immunization Nurse - Western Region  
Massachusetts Department of Public Health  
Bureau of Infectious Disease Prevention, Response and Services  
413-545-6604

---

**From:** Byrne, Eric (DPH) [<mailto:Eric.Byrne@state.ma.us>]  
**Sent:** Wednesday, August 18, 2010 8:16 AM  
**To:** 'Taugher, Helen (DPH)'; 'Byrne, Eric (DPH)'; Hanchett, James (DPH)  
**Cc:** Popstefanija, Marija (DPH)  
**Subject:** RE: Dell Printer ?

That's fine. If its not ours, don't worry about it. I let Fedex know that it is not a DPH delivery.

---

**From:** Taugher, Helen (DPH) [<mailto:Helen.Taugher@state.ma.us>]  
**Sent:** Wednesday, August 18, 2010 8:02 AM

**To:** 'Byrne, Eric (DPH)'; Hanchett, James (DPH)  
**Cc:** Taugher, Helen (DPH); Popstefanija, Marija (DPH)  
**Subject:** RE: Dell Printer ?

If it is not ours, I cannot sign for it.  
Helen

Helen Crean Taugher DNP MPH RN  
Regional Immunization Nurse - Western Region  
Massachusetts Department of Public Health  
Bureau of Infectious Disease Prevention, Response and Services  
413-545-6604

---

**From:** Byrne, Eric (DPH) [<mailto:Eric.Byrne@state.ma.us>]  
**Sent:** Tuesday, August 17, 2010 10:09 AM  
**To:** Hanchett, James (DPH)  
**Cc:** Taugher, Helen (DPH); Popstefanija, Marija (DPH)  
**Subject:** RE: Dell Printer ?

It will be delivered upstairs tomorrow. I'll be by mid-day to move Chris's PC and to check on the package from Dell. It may not even be for DPH.

---

**From:** Byrne, Eric (DPH)  
**Sent:** Tuesday, August 17, 2010 9:55 AM  
**To:** Hanchett, James (DPH)  
**Cc:** Taugher, Helen (DPH); Popstefanija, Marija (DPH)  
**Subject:** RE: Dell Printer ?

I don't think so. They called it a Dell printer. I can have them deliver it upstairs and sort it out when it gets there.

---

**From:** Hanchett, James (DPH)  
**Sent:** Tuesday, August 17, 2010 9:47 AM  
**To:** Byrne, Eric (DPH)  
**Subject:** RE: Dell Printer ?

I have no clue. I ordered toner cartridges from CAM Office Supply could it be them?

Jim

---

**From:** Byrne, Eric (DPH)  
**Sent:** Tuesday, August 17, 2010 8:53 AM  
**To:** Hanchett, James (DPH); Popstefanija, Marija (DPH); Taugher, Helen (DPH)  
**Subject:** Dell Printer ?

Good morning,

I had a phone message from FedEx regarding delivery of a Dell Printer to Public Health at 181 Stockbridge Rd. They needed additional address info. I can give them the correct address, but is anyone expecting this printer? I want to send them to the correct floor.

Thanks,  
-Eric

\*\*\*\*\*

*Eric Byrne  
Systems Engineer  
Information Technology Services  
Massachusetts Department of Public Health  
(413) 586-7525 x1130*